





FREEfold short

by Kesseböhmer



<http://support.kesseboehmer.de/freefold>







4037470000

HDE 02.07.2020

12.0001.010.445.0000.00

KESSEBÖHMER



i																																																																																																																																						
																																																																																																																																						
   	<table> <tr> <td rowspan="3">KH (FH): 450 - 480</td><td rowspan="3">16</td><td>2,8 - 5,1 kg</td><td>B1fs</td><td>2719990006</td></tr> <tr> <td>5,1 - 10,2 kg</td><td>B3fs</td><td>2720000006</td></tr> <tr> <td>9,7 - 16,9 kg</td><td>B4fs</td><td>2720010006</td></tr> <tr> <td rowspan="3">KH (FH): 480 - 530</td><td rowspan="3">21</td><td>2,6 - 4,9 kg</td><td>C1fs</td><td>2720020006</td></tr> <tr> <td>4,9 - 10,2 kg</td><td>C3fs</td><td>2720030006</td></tr> <tr> <td>9,3 - 15,9 kg</td><td>C4fs</td><td>2720040006</td></tr> <tr> <td rowspan="4">KH (FH): 520 - 590</td><td rowspan="4">36</td><td>2,4 - 4,8 kg</td><td>D1fs</td><td>2720050006</td></tr> <tr> <td>4,8 - 9,0 kg</td><td>D3fs</td><td>2720060006</td></tr> <tr> <td>7,8 - 15,2 kg</td><td>D4fs</td><td>2720070006</td></tr> <tr> <td>9,7 - 20,3 kg</td><td>D5fs</td><td>2720080006</td></tr> <tr> <td rowspan="4">KH (FH): 580 - 650</td><td rowspan="4">50</td><td>2,1 - 4,0 kg</td><td>E1fs</td><td>2720090006</td></tr> <tr> <td>4,0 - 8,5 kg</td><td>E3fs</td><td>2720100006</td></tr> <tr> <td>6,8 - 12,5 kg</td><td>E4fs</td><td>2720110006</td></tr> <tr> <td>10,5 - 17,3 kg</td><td>E5fs</td><td>2720120006</td></tr> <tr> <td rowspan="4">KH (FH): 650 - 730</td><td rowspan="4">59</td><td>2,0 - 3,7 kg</td><td>F1fs</td><td>2720130006</td></tr> <tr> <td>3,7 - 7,4 kg</td><td>F3fs</td><td>2720140006</td></tr> <tr> <td>7,0 - 11,8 kg</td><td>F4fs</td><td>2720150006</td></tr> <tr> <td>10,2 - 17,2 kg</td><td>F5fs</td><td>2720160006</td></tr> <tr> <td rowspan="3">KH (FH): 710 - 790</td><td rowspan="3">59</td><td>3,6 - 6,2 kg</td><td>G3fs</td><td>2720170006</td></tr> <tr> <td>6,1 - 10,8 kg</td><td>G4fs</td><td>2720180006</td></tr> <tr> <td>8,5 - 14,4 kg</td><td>G5fs</td><td>2720190006</td></tr> <tr> <td rowspan="4">KH (FH): 770 - 840</td><td rowspan="4">69</td><td>3,5 - 6,0 kg</td><td>H3fs</td><td>2720200006</td></tr> <tr> <td>5,1 - 9,8 kg</td><td>H4fs</td><td>2720210006</td></tr> <tr> <td>7,5 - 14,1 kg</td><td>H5fs</td><td>2720220006</td></tr> <tr> <td>10,5 - 20,9 kg</td><td>H6fs</td><td>2721030006</td></tr> <tr> <td rowspan="3">KH (FH): 840 - 910</td><td rowspan="3">69</td><td>4,7 - 8,9 kg</td><td>I4fs</td><td>2720230006</td></tr> <tr> <td>6,9 - 12,2 kg</td><td>I5fs</td><td>2720240006</td></tr> <tr> <td>10,0 - 20 kg</td><td>I6fs</td><td>2721040006</td></tr> <tr> <td rowspan="3">KH (FH): 910 - 970</td><td rowspan="3">79</td><td>4,7 - 8,0 kg</td><td>J4fs</td><td>2720250006</td></tr> <tr> <td>6,4 - 11,5 kg</td><td>J5fs</td><td>2720260006</td></tr> <tr> <td>8,9 - 16,8 kg</td><td>J6fs</td><td>2721050006</td></tr> <tr> <td rowspan="3">KH (FH): 960 - 1010</td><td rowspan="3">84</td><td>4,6 - 8,3 kg</td><td>K4fs</td><td>2720270006</td></tr> <tr> <td>6,5 - 10,7 kg</td><td>K5fs</td><td>2720280006</td></tr> <tr> <td>8,4 - 16,6 kg</td><td>K6fs</td><td>2721060006</td></tr> <tr> <td rowspan="3">KH (FH): 1000 - 1040</td><td rowspan="3">89</td><td>4,0 - 7,4 kg</td><td>L4fs</td><td>2720290006</td></tr> <tr> <td>5,7 - 10,1 kg</td><td>L5fs</td><td>2720300006</td></tr> <tr> <td>9,1 - 16,1 kg</td><td>L6fs</td><td>2721070006</td></tr> </table>	KH (FH): 450 - 480	16	2,8 - 5,1 kg	B1fs	2719990006	5,1 - 10,2 kg	B3fs	2720000006	9,7 - 16,9 kg	B4fs	2720010006	KH (FH): 480 - 530	21	2,6 - 4,9 kg	C1fs	2720020006	4,9 - 10,2 kg	C3fs	2720030006	9,3 - 15,9 kg	C4fs	2720040006	KH (FH): 520 - 590	36	2,4 - 4,8 kg	D1fs	2720050006	4,8 - 9,0 kg	D3fs	2720060006	7,8 - 15,2 kg	D4fs	2720070006	9,7 - 20,3 kg	D5fs	2720080006	KH (FH): 580 - 650	50	2,1 - 4,0 kg	E1fs	2720090006	4,0 - 8,5 kg	E3fs	2720100006	6,8 - 12,5 kg	E4fs	2720110006	10,5 - 17,3 kg	E5fs	2720120006	KH (FH): 650 - 730	59	2,0 - 3,7 kg	F1fs	2720130006	3,7 - 7,4 kg	F3fs	2720140006	7,0 - 11,8 kg	F4fs	2720150006	10,2 - 17,2 kg	F5fs	2720160006	KH (FH): 710 - 790	59	3,6 - 6,2 kg	G3fs	2720170006	6,1 - 10,8 kg	G4fs	2720180006	8,5 - 14,4 kg	G5fs	2720190006	KH (FH): 770 - 840	69	3,5 - 6,0 kg	H3fs	2720200006	5,1 - 9,8 kg	H4fs	2720210006	7,5 - 14,1 kg	H5fs	2720220006	10,5 - 20,9 kg	H6fs	2721030006	KH (FH): 840 - 910	69	4,7 - 8,9 kg	I4fs	2720230006	6,9 - 12,2 kg	I5fs	2720240006	10,0 - 20 kg	I6fs	2721040006	KH (FH): 910 - 970	79	4,7 - 8,0 kg	J4fs	2720250006	6,4 - 11,5 kg	J5fs	2720260006	8,9 - 16,8 kg	J6fs	2721050006	KH (FH): 960 - 1010	84	4,6 - 8,3 kg	K4fs	2720270006	6,5 - 10,7 kg	K5fs	2720280006	8,4 - 16,6 kg	K6fs	2721060006	KH (FH): 1000 - 1040	89	4,0 - 7,4 kg	L4fs	2720290006	5,7 - 10,1 kg	L5fs	2720300006	9,1 - 16,1 kg	L6fs	2721070006
KH (FH): 450 - 480	16			2,8 - 5,1 kg	B1fs	2719990006																																																																																																																																
				5,1 - 10,2 kg	B3fs	2720000006																																																																																																																																
		9,7 - 16,9 kg	B4fs	2720010006																																																																																																																																		
KH (FH): 480 - 530	21	2,6 - 4,9 kg	C1fs	2720020006																																																																																																																																		
		4,9 - 10,2 kg	C3fs	2720030006																																																																																																																																		
		9,3 - 15,9 kg	C4fs	2720040006																																																																																																																																		
KH (FH): 520 - 590	36	2,4 - 4,8 kg	D1fs	2720050006																																																																																																																																		
		4,8 - 9,0 kg	D3fs	2720060006																																																																																																																																		
		7,8 - 15,2 kg	D4fs	2720070006																																																																																																																																		
		9,7 - 20,3 kg	D5fs	2720080006																																																																																																																																		
KH (FH): 580 - 650	50	2,1 - 4,0 kg	E1fs	2720090006																																																																																																																																		
		4,0 - 8,5 kg	E3fs	2720100006																																																																																																																																		
		6,8 - 12,5 kg	E4fs	2720110006																																																																																																																																		
		10,5 - 17,3 kg	E5fs	2720120006																																																																																																																																		
KH (FH): 650 - 730	59	2,0 - 3,7 kg	F1fs	2720130006																																																																																																																																		
		3,7 - 7,4 kg	F3fs	2720140006																																																																																																																																		
		7,0 - 11,8 kg	F4fs	2720150006																																																																																																																																		
		10,2 - 17,2 kg	F5fs	2720160006																																																																																																																																		
KH (FH): 710 - 790	59	3,6 - 6,2 kg	G3fs	2720170006																																																																																																																																		
		6,1 - 10,8 kg	G4fs	2720180006																																																																																																																																		
		8,5 - 14,4 kg	G5fs	2720190006																																																																																																																																		
KH (FH): 770 - 840	69	3,5 - 6,0 kg	H3fs	2720200006																																																																																																																																		
		5,1 - 9,8 kg	H4fs	2720210006																																																																																																																																		
		7,5 - 14,1 kg	H5fs	2720220006																																																																																																																																		
		10,5 - 20,9 kg	H6fs	2721030006																																																																																																																																		
KH (FH): 840 - 910	69	4,7 - 8,9 kg	I4fs	2720230006																																																																																																																																		
		6,9 - 12,2 kg	I5fs	2720240006																																																																																																																																		
		10,0 - 20 kg	I6fs	2721040006																																																																																																																																		
KH (FH): 910 - 970	79	4,7 - 8,0 kg	J4fs	2720250006																																																																																																																																		
		6,4 - 11,5 kg	J5fs	2720260006																																																																																																																																		
		8,9 - 16,8 kg	J6fs	2721050006																																																																																																																																		
KH (FH): 960 - 1010	84	4,6 - 8,3 kg	K4fs	2720270006																																																																																																																																		
		6,5 - 10,7 kg	K5fs	2720280006																																																																																																																																		
		8,4 - 16,6 kg	K6fs	2721060006																																																																																																																																		
KH (FH): 1000 - 1040	89	4,0 - 7,4 kg	L4fs	2720290006																																																																																																																																		
		5,7 - 10,1 kg	L5fs	2720300006																																																																																																																																		
		9,1 - 16,1 kg	L6fs	2721070006																																																																																																																																		

4037470000


HDE 02.07.2020

12.0001.010.445.0000.00

KESSEBÖHMER

i

mm








$$Y = (Q \times KH) - R - K$$

$$X = KH - Y - S - (2 \times K) + A1$$

$$Y = (Q \times FH) - R - A1$$

$$X = FH - Y - S - A1$$

$$Z < K_{max} - K$$



	β [°]	Q	R	S	T	U	V	W
450-480	~107-98	1,0	349	313	94-49	93-128	196-180	315-343
480-530	~107-96	1,1	426	328	100-37	100-155	203-186	328-370
520-590	~107-93	1,1	466	347	106-23	112-184	213-190	347-401
580-650	~108-95	1,2	589	377	119-40	126-197	227-207	375-430
650-730	~107-94	1,2	664	409	124-38	147-224	238-215	411-470
710-790	~108-95	1,2	736	439	136-46	161-233	250-219	439-500
770-840	~108-95	1,0	644	467	146-43	179-223	267-200	466-527
840-910	~108-98	1,2	882	501	154-70	195-248	272-231	502-559
910-970	~107-98	1,1	865	533	160-78	214-246	282-225	536-588
960-1010	~107-100	1,1	915	557	170-99	228-251	295-240	560-605
1000-1040	~107-102	1,1	954	576	177-120	239-256	306-256	578-616




4037470000

HDE 02.07.2020


12.0001.010.445.0000.00

KESSEBÖHMER

1



2








4037470000


HDE 02.07.2020

12.0001.010.445.0000.00


KESSEBÖHMER



4



5




4037470000

HDE 02.07.2020


12.0001.010.445.0000.00

KESSEBÖHMER

6



7












4037470000

HDE 02.07.2020

12.0001.010.445.0000.00

KESSEBÖHMER





4037470000

HDE 02.07.2020


12.0001.010.445.0000.00

KESSEBÖHMER

9




PZ 2



4037470000



PZ 2





HDE 02.07.2020








12.0001.010.445.0000.00

KESSEBÖHMER

10



i




4037470000

HDE 02.07.2020

12.0001.010.445.0000.00

KESSEBÖHMER

i



4037470000

HDE 02.07.2020

12.0001.010.445.0000.00

KESSEBÖHMER