









FREEslide

by Kesseböhmer



<http://support.kesseboehmer.de/freeslide>









4029070000

08/2014

12.0001.010.416.0000.00




KESSEBÖHMER

i					
					
	KH: 320 - 360 LH: ≥ 280	3,0 - 5,7	O1us	2719010006	
		4,8 - 9,3	O2us	2719020006	
		8,7 - 16,5	O3us	2719030006	
	KH: 345 - 420 LH: ≥ 308	2,4 - 4,8	P1us	2719040006	
		4,1 - 8,0	P2us	2719050006	
		7,4 - 14,0	P3us	2719060006	
		11,0 - 19,6	P4us	2719070006	
	KH: 380 - 500 LH: ≥ 343	2,0 - 3,8	Q1us	2719080006	
		3,4 - 6,7	Q2us	2719090006	
		6,3 - 11,8	Q3us	2719100006	
		9,3 - 17,4	Q4us	2719110006	
		KH: 430 - 600 LH: ≥ 388	1,6 - 3,3	R1us	2719120006
2,6 - 5,5			R2us	2719130006	
5,0 - 9,7			R3us	2719140006	
7,4 - 14,6			R4us	2719150006	








KH	X	D	U	HH	T	V1	V2
320 - 360	157	274,5	KH - HH - K	278	≥ 281	128	177
345 - 420	185	302,5		328	≥ 333	146	205
380 - 500	220	337,5		390	≥ 393	168	240
430 - 600	265	382,5		470	≥ 473	196	284

1



2




4029070000

08/2014

12.0001.010.416.0000.00

KESSEBÖHMER

3




4



5 mm



9 mm




4029070000

08/2014


12.0001.010.416.0000.00

KESSEBÖHMER

5



6





4029070000


08/2014

12.0001.010.416.0000.00





KESSEBÖHMER



7



i



4029070000

08/2014

12.0001.010.416.0000.00

KESSEBÖHMER